



- [☐☐☐](#)
- English

- [Home](#)
- [Products](#)
 - [Single Mode Diode Lasers](#)
 - [iBeam smart](#)
 - [iBeam smart PT](#)
 - [Single Frequency Lasers](#)
 - [iBeam smart WS](#)
 - [TopMode](#)
 - [TopWave 266](#)
 - [XTRA II](#)
 - [UV / RGB solutions](#)
 - [Tunable Diode Lasers](#)
 - [ECDL / DFB Lasers](#)
 - [CTL](#)
 - [DL pro](#)
 - [DL 100](#)
 - [DFB pro](#)
 - [MDL pro](#)
 - [Frequency-Converted Lasers](#)
 - [SHG pro](#)
 - [DL-SHG pro](#)
 - [TA-SHG pro](#)
 - [TA-FHG pro](#)
 - [TOPO](#)
 - [Amplified Lasers](#)
 - [TA pro](#)
 - [BoosTA pro](#)
 - [BoosTA](#)
 - [Laser Driving Electronics](#)
 - [DLC pro](#)
 - [SYS DC 110: Analog Control](#)
 - [Laser Locking Electronics](#)
 - [DigiLock 110: Digital Locking](#)
 - [FALC 110 & mFALC 110: Fast PID](#)
 - [PDH/DLC pro: Pound-Drever-Hall](#)
 - [PDD 110/F: Pound-Drever-Hall](#)
 - [PID 110: PID Controller](#)
 - [DLC pro Lock](#)

- [ps/fs Fiber Lasers](#)
 - [FemtoFiber smart](#)
 - [FemtoFiber smart 780](#)
 - [FemtoFYb 1030-400](#)
 - [FemtoFYb 1030-800](#)
 - [PicoFYb 1030](#)
 - [PicoFYb 1064](#)
 - [FemtoFErb 1560](#)
 - [FemtoFErb 1560 FD6.5](#)
 - [FemtoFErb 1950](#)
 - [FemtoFiber pro](#)
 - [FemtoFiber pro TVIS](#)
 - [FemtoFiber pro NIR](#)
 - [FemtoFiber pro TNIR](#)
 - [FemtoFiber pro SCIR](#)
 - [FemtoFiber pro UCP](#)
 - [FemtoFiber pro SCYb](#)
 - [FemtoFiber pro IR](#)
 - [FemtoFiber pro IRS-II](#)
 - [FemtoFiber ultra](#)
 - [FemtoFiber ultra 780](#)
 - [FemtoFiber ultra 920](#)
 - [FemtoFiber ultra 1050](#)
 - [FemtoFiber ultra 1560](#)
 - [FemtoFiber dichro](#)
 - [FemtoFiber dichro midIR](#)
 - [FemtoFiber customized](#)
 - [FemtoFiber CARS](#)
 - [FemtoFiber FluoLife](#)
 - [FemtoFiber Terahertz Freeze](#)
 - [FemtoFiber Quantum Microscopy](#)
- [Terahertz Systems](#)
 - [Frequency-Domain](#)
 - [TeraScan](#)
 - [TeraBeam](#)
 - [Tuning Range Extension](#)
 - [Phase Modulation Extension](#)
 - [GaAs and InGaAs Photomixers](#)
 - [Time-Domain](#)
 - [TeraFlash](#)
 - [Imaging Extension](#)
 - [TeraSpeed](#)
 - [Photoconductive Switches](#)
 - [Accessories](#)
 - [Optomechanics](#)
 - [Schottky Receivers](#)
- [Frequency Combs](#)

- [DFC CORE / DFC CORE+](#)
 - [DFC Wavelength Extensions](#)
 - [DFC BC / DFC MD](#)
 - [Complete DFC Systems](#)
 - [DFC SDL](#)
- [Multi-Laser Engines](#)
 - [iChrome CLE](#)
 - [iChrome MLE](#)
- [Customized Solutions](#)
 - [SodiumStar](#)
 - [TeraFlash smart](#)
 - [633 nm High Power](#)
 - [213 nm 10 mW cw](#)
 - [193 nm sub-mW](#)
- [Wavemeters & Laser Diodes](#)
 - [Optical Isolators](#)
 - [Single-Stage TOPTICA Isolators](#)
 - [Dual-Stage TOPTICA Isolators](#)
 - [Additional Isolators](#)
 - [Wavelength Meters](#)
 - [Photonicals](#)
 - [FiberDock](#)
 - [FiberOut](#)
 - [Optical Fibers](#)
 - [FPI 100 - Fabry-Perot Interferometer](#)
 - [Compact Saturation Spectroscopy](#)
 - [Anamorphic Prism Pairs](#)
 - [Laser Diodes](#)
 - [Fabry-Perot](#)
 - [AR-coated](#)
 - [DFB/DBR](#)
 - [Tapered Amplifiers](#)
 - [ToptiCalc](#)
- [Applications](#)
 - [Biophotonics](#)
 - [High-Content Analysis](#)
 - [Industrial Manufacturing](#)
 - [Raman Spectroscopy](#)
 - [Holography](#)
 - [Computer-To-Plate](#)
 - [Fundamental Quantum Technology](#)
 - [Atom Laser Cooling & Trapping](#)
 - [Ion Laser Cooling & Trapping](#)
 - [Degenerate Quantum Gases \(BEC, DFG\)](#)
 - [Rydberg Excitation](#)
 - [Optical Pumping & EIT](#)
 - [Quantum Dots & Microcavities](#)

- [Optical Microscopy](#)
 - [Confocal Microscopy](#)
 - [Raman Microscopy](#)
 - [Multiphoton Microscopy](#)
 - [SHG Microscopy](#)
 - [THG Microscopy](#)
 - [Nearfield Chemical Imaging](#)
- [Terahertz Sensing](#)
 - [Plastic Inspection](#)
 - [Paint and Coating Layers](#)
 - [Industrial Quality Control](#)
 - [Material Research](#)
 - [Gas Sensing](#)
 - [Hydration Monitoring](#)
 - [Ultrafast Dynamics](#)
 - [Security](#)
- [Applied Quantum Technology](#)
 - [Sensing & Metrology](#)
 - [Communication](#)
 - [Spectroscopy](#)
 - [Direct Frequency Comb Spectroscopy](#)
 - [Microwave Generation](#)
- [Ultrafast Studies](#)
 - [Pump-probe Spectroscopy](#)
 - [fs/ps Material Processing](#)
 - [2-Photon Polymerization](#)
 - [Time-Resolved Microscopy](#)
 - [FLIM](#)
 - [OCT](#)
 - [Mid-IR Generation](#)
- [Semicon / Metrology](#)
 - [Scatterometry](#)
 - [Inspection](#)
 - [Ellipsometry](#)
 - [Microlithography](#)
 - [Lithography Optics Inspection](#)
- [Astronomy & Geology](#)
 - [Laser Guide Star](#)
 - [LIDAR Seeding](#)
 - [Distance Metrology](#)
- [Technology](#)
 - [Technical Tutorials](#)
 - [Frequency Conversion](#)
 - [Femtosecond Fiber](#)
 - [Terahertz](#)
 - [Terahertz Properties](#)
 - [Terahertz Sources](#)

- [cw Terahertz](#)
 - [Pulsed Terahertz](#)
 - [Frequency Combs](#)
- [TOPTICA Proprietary](#)
 - [smart Series](#)
 - [pro Series / Technology](#)
 - [ultra Series](#)
 - [CERO](#)
 - [CHARM](#)
 - [COOL](#)
 - [FINE](#)
 - [SKILL](#)
- [Company](#)
 - [Company Profile](#)
 - [All Wavelengths](#)
 - [Press](#)
 - [News / TOPTICA Tuesday](#)
 - [People](#)
 - [Worldwide Presence](#)
 - [Events & Exhibitions](#)
 - [Careers](#)
 - [Jobs in Germany](#)
 - [Jobs Worldwide](#)
 - [Quality Management](#)
 - [Terms of Sale](#)
 - [Cooperations](#)
 - [Downloads](#)
- [Contact](#)
 - [Contact us](#)
 - [Sales request](#)
 - [Support](#)
 - [Imprint](#)
 - [Newsletter](#)
- [Home](#)
- [Products](#)

Single Mode Diode Lasers

- [iBeam smart](#)
- [iBeam smart PT](#)

Single Frequency Lasers

- [iBeam smart WS](#)
- [TopMode](#)
- [TopWave 266](#)

- [XTRA II](#)
- [UV / RGB solutions](#)

Tunable Diode Lasers

- [ECDL / DFB Lasers](#)
 - [CTL](#)
 - [DL pro](#)
 - [DFB pro](#)
 - [MDL pro](#)
- [Frequency-Converted Lasers](#)
 - [SHG pro](#)
 - [DL-SHG pro](#)
 - [TA-SHG pro](#)
 - [TA-FHG pro](#)
 - [TOPO](#)
- [Amplified Lasers](#)
 - [TA pro](#)
 - [BoosTA pro](#)
 - [BoosTA](#)
- [Laser Driving Electronics](#)
 - [DLC pro](#)
- [Laser Locking Electronics](#)

ps/fs Fiber Lasers

- [FemtoFiber smart](#)
- [FemtoFiber pro](#)
- [FemtoFiber ultra](#)
 - [FemtoFiber ultra 920](#)
- [FemtoFiber dichro](#)
- [FemtoFiber customized](#)

Terahertz Systems

- [Frequency-Domain](#)
 - [TeraScan](#)
 - [TeraBeam](#)
- [Time-Domain](#)
 - [TeraFlash](#)
 - [Imaging Extension](#)
 - [TeraSpeed](#)
- [Accessories](#)

Frequency Combs

- [DFC CORE / DFC CORE+](#)
- [DFC Wavelength Extensions](#)

- [DFC BC / DFC MD](#)
- [Complete DFC Systems](#)
- [DFC SDL](#)

Multi-Laser Engines

- [iChrome CLE](#)
- [iChrome MLE](#)

Customized Solutions

- [SodiumStar](#)
- [TeraFlash smart](#)
- [633 nm High Power](#)
- [213 nm 10 mW cw](#)
- [193 nm sub-mW](#)

Wavemeters & Laser Diodes

- [Optical Isolators](#)
- [Wavelength Meters](#)
- [Photonicals](#)
 - [FiberDock](#)
 - [FiberOut](#)
 - [Optical Fibers](#)
- [Laser Diodes](#)
 - [Fabry-Perot](#)
 - [AR-coated](#)
 - [DFB/DBR](#)
 - [Tapered Amplifiers](#)
- [Applications](#)

Biophotonics

- [High-Content Analysis](#)

Industrial Manufacturing

- [Raman Spectroscopy](#)
- [Holography](#)
- [Computer-To-Plate](#)

Fundamental Quantum Technology

- [Atom Laser Cooling & Trapping](#)
- [Ion Laser Cooling & Trapping](#)
- [Degenerate Quantum Gases \(BEC, DFG\)](#)
- [Rydberg Excitation](#)
- [Optical Pumping & EIT](#)

- [Quantum Dots & Microcavities](#)

Optical Microscopy

- [Confocal Microscopy](#)
- [Raman Microscopy](#)
- [Multiphoton Microscopy](#)
- [SHG Microscopy](#)
- [THG Microscopy](#)
- [Nearfield Chemical Imaging](#)

Terahertz Sensing

- [Plastic Inspection](#)
- [Paint and Coating Layers](#)
- [Industrial Quality Control](#)
- [Material Research](#)
- [Gas Sensing](#)
- [Hydration Monitoring](#)
- [Ultrafast Dynamics](#)
- [Security](#)

Applied Quantum Technology

- [Sensing & Metrology](#)
- [Communication](#)
- [Spectroscopy](#)
- [Direct Frequency Comb Spectroscopy](#)
- [Microwave Generation](#)

Ultrafast Studies

- [Pump-probe Spectroscopy](#)
- [fs/ps Material Processing](#)
- [2-Photon Polymerization](#)
- [Time-Resolved Microscopy](#)
- [FLIM](#)
- [OCT](#)
- [Mid-IR Generation](#)

Semicon / Metrology

- [Scatterometry](#)
- [Inspection](#)
- [Ellipsometry](#)
- [Microlithography](#)
- [Lithography Optics Inspection](#)

Astronomy & Geology

- [Laser Guide Star](#)
- [LIDAR Seeding](#)
- [Distance Metrology](#)
- [Technology](#)

Technical Tutorials

- [Frequency Conversion](#)
- [Femtosecond Fiber](#)
- [Terahertz](#)
- [Frequency Combs](#)

TOPTICA Proprietary

- [smart Series](#)
- [pro Series / Technology](#)
- [ultra Series](#)
- [CERO](#)
- [CHARM](#)
- [COOL](#)
- [FINE](#)
- [SKILL](#)
- [Company](#)

Company Profile

- [All Wavelengths](#)
- [Press](#)
- [News / TOPTICA Tuesday](#)
- [People](#)
- [Worldwide Presence](#)
- [Events & Exhibitions](#)
- [Careers](#)
 - [Jobs in Germany](#)
 - [Jobs Worldwide](#)
- [Quality Management](#)
- [Terms of Sale](#)
- [Cooperations](#)
- [Downloads](#)
- [Contact](#)

Contact us

- [Sales request](#)
- [Support](#)
- [Imprint](#)

- [Newsletter](#)

TOPTICA Photonics AG - A passion for precision - www.toptica.com

- [Home](#)
- [Products](#)
- Single Mode Diode Lasers

Products



- [Single Mode Diode Lasers](#)
 - [iBeam smart](#)
 - [iBeam smart PT](#)
- [Single Frequency Lasers](#)
- [Tunable Diode Lasers](#)
- [ps/fs Fiber Lasers](#)
- [Terahertz Systems](#)
- [Frequency Combs](#)
- [Multi-Laser Engines](#)
- [Customized Solutions](#)
- [Wavemeters & Laser Diodes](#)

Single Mode Diode Lasers

Colorful Diode Lasers - Engineered for Maximum Performance

Whenever you strive for highest power, best beam quality or lowest noise, you find a reliable and professional partner in TOPTICA. Our industrial diode lasers combine first class diode technology and rock-solid opto-mechanical engineering, completed by convenient computer-control and intelligent protection measures. With cw or pulsed operation, TEM₀₀ mode and a spectral linewidth of typically 0.5 nm, these lasers support a variety of applications.

Today we face an installed base of more than 5000 laser systems worldwide, covering various applications in biophotonics, microscopy, semicon inspection, industrial manufacturing and homeland security. Our customers rely on our profound expertise and professional care, no matter whether you need hundreds of units or just a few pieces.



	Wavelength	Output Power	Operation Mode	Spectral Linewidth (typ.)
iBeam smart	375, 395, 405, 420, 445, 460, 473, 488, 505, 515, 633, 640, 660, 685, 785 nm	70, 120, 100/150/300, 120, 100, 100, 100, 100/200, 80, 100, 100, 150, 130, 50, 125/250 mW	cw, pulsed	0.5 nm (typ.)
iBeam smart PT	405, 445, 488, 515, 640, 660, 785 nm	60/120, 50, 50/100, 50, 80, 75, 70 mW	cw, pulsed	0.5 nm (typ.)

[Print](#)

- [Careers](#)

- [Contact](#)
- [Sitemap](#)
- [Imprint](#)
- [Privacy Policy](#)